FEBS Letters 340 (1994) 301–302

Contents to volume 340

Minireviews

New insights into the auxiliary domains of eukaryotic RNA binding proteins (FEBS 13694) *G. Biamonti, S. Riva* 1

Molecular mechanisms of tumor necrosis factor-induced cytotoxicity: What we do understand and what we do not (FEBS 13704) *R. Beyaert, W. Fiers* 9

Research Letters

pH-dependent formation of ethylenediaminetetraacetic acid supramolecular aggregates (FEBS 13687) *M. Müller, A. Haeberli* 17

Both neurotoxin II from venom of *Naja naja oxiana* and its endogeneous analogue induce apoptosis in tumor cells (FEBS 13688) *B.N. Strizhkov, E.Y. Blishchenko, D.K. Satpaev, A.A. Karelin* 22

Cloning and sequence analysis of cDNA for a human homolog of eubacterial ATP-dependent Lon proteases (FEBS 13689) *A.Y. Amerik, G.V. Petukhova, V.G. Grigorenko, I.P. Lykov, S.V. Yarovoi, V.M. Lipkin, A.E. Gorbalenya* 25

Evidence for the involvement of protein phosphorylation in cyclic AMP-mediated amylase exocytosis from parotid acinar cells (FEBS 13690) *T. Takuma, T. Ichida* 29

The role of gravity in chick embryogenesis (FEBS 13681) *T. Suda, E. Abe, T. Shinki, T. Katagiri, A. Yamaguchi, S. Yokose, S. Yoshiki, H. Horikawa, G.W. Cohen, S. Yasugi, M. Naito* 34

Detection of 4′-phosphopantetheine at the thioester binding site for L-valine of gramicidinS synthetase 2 (FEBS 13691) *T. Stein, J. Vater, V. Kruft, B. Wittmann-Liebold, P. Franke, M. Panico, R.M. Dowell, H.R. Morris* 39

Calcium channel antagonists induce direct inhibition of the outward rectifying potassium channel in tobacco protoplasts (FEBS 13692) *S. Thomine, S. Zimmermann, B. Van Duijn, H. Barbier-Brygoo, J. Guern* 45

Insulin-like growth factors counteract the effect of interleukin 1β on type II phospholipase A2 expression and arachidonic acid release by rabbit articular chondrocytes (FEBS 13684) *F. Berenbaum, G. Thomas, S. Poiraudeau, G. Bérézíat, M.T. Corvol, J. Masliah* 51

A sialic acid-binding lectin from the mushroom *Hericium erinaceum* (FEBS 13693) *H. Kawagishi, H. Mori, A. Uno, A. Kimura, S. Chiba* 56

Repression of in vitro transcription of the *Escherichia coli fnr* and *narX* genes by FNR protein (FEBS 13696) *K. Takahashi, T. Hattori, T. Nakanishi, T. Nohno, N. Fujita, A. Ishihama, S. Taniguchi* 59

Synthesis of holo *Paracoccus denitrificans* cytochrome c_{550} requires targeting to the periplasm whereas that of holo *Hydrogenobacter thermophilus* cytochrome c_{552} does not: Implications for *c*-type cytochrome biogenesis (FEBS 13697) *Y. Sambongi, S.J. Ferguson* 65

Nuclear and cytoplasmic α1(I) collagen mRNA-binding proteins (FEBS 13695) *A. Määttä, R.P.K. Penttinen* 71

Direct visualization of lipid aggregates in native human bile by light- and cryo-transmission electron-microscopy (FEBS 13698) *A. Kaplun, Y. Talmon, F.M. Konikoff, M. Rubin, A. Eitan, M. Tadmor, D. Lichtenberg* 78

Selective chemical modification of Cys^{264} with diiodofluorescein iodacetamide as a tool to study the membrane topology of cytochrome P450scc (CYP11A1) (FEBS 13701) *A. Chernogolov, S. Usanov, R. Kraft, D. Schwarz* 83

Membrane interactions and surface hydrophobicity of *Bacillus thuringiensis* δ-endotoxin CryIC (FEBS 13703) *P. Butko, M. Cournoyer, M. Pusztai-Carey, W.K. Surewicz* 89

Cloning of the complete coding region for human protein phosphatase inhibitor 2 using the two hybrid system and expression of inhibitor 2 in *E. coli* (FEBS 13705) *N.R. Helps, A.J. Street, S.J. Elledge, P.T.W. Cohen* 93

Sphingosine-1-phosphate inhibits extracellular matrix protein-induced haptotactic motility but not adhesion of B16 mouse melanoma cells (FEBS 13702) *Y. Sadahira, M. Zheng, F. Ruan, S.-i. Hakomori, Y. Igarashi* 99

Deletion of highly conserved C-terminal sequences in the Kv1 K^+ channel sub-family does not prevent expression of currents with wild-type characteristics (FEBS 13706) *V.N. Uebele, S.W. Yeola, D.J. Snyders, M.M. Tamkun* 104

The Cu_Asite of the caa_3-type oxidase of *Bacillus subtilis* is a mixed-valence binuclear copper centre (FEBS 13707) *C. von Wachenfeldt, S. de Vries, J.v. der Oost* 109

Phototactic behaviour of the archaebacterial *Natronobacterium pharaonis* (FEBS 13708) *B. Scharf, E.K. Wolff* 114

Genes for members of the GATA-binding protein family (GATA-GT1 and GATA-GT2) together with H^+/K^+-ATPase are specifically transcribed in gastric parietal cells (FEBS 13710) *S. Mushiake, Y. Etani, S. Shimada, M. Tohyama, M. Hasebe, M. Futai, M. Maeda* 117

A polycation causes migration of negatively charged phospholipids from the inner to outer leaflet of the liposomal membrane (FEBS 13709) *A.A. Yaroslavov, V.E. Kul"kov, A.S. Polinsky, B.A. Baibakov, V.A. Kabanov* 121

Guanosine 5′-(γ-thio) triphosphate (GTPγS) inhibits phosphorylation of insulin receptor and a novel GTP-binding protein, G_{ir}, from human placenta (FEBS 13712) *S.K. Srivastava, T.K. Varma, A.C. Sinha, U.S. Singh* 124

Structural similarity of plant chitinase and lysozymes from animals and phage: An evolutionary connection (FEBS 13713) *L. Holm, C. Sander* 129

Structural determination and characterization of a 40 kDa protein isolated from rat 40 S ribosomal subunit (FEBS 13715) *A. Tohgo, S. Takasawa, H. Munakata, H. Yonekura, N. Hayashi, H. Okamoto* 133

A stably folded presecretory protein associates with and upon unfolding translocates across the membrane of mammalian microsomes (FEBS 13716) *G. Schlenstedt, M. Zimmermann, R. Zimmermann* 139

A phorbol ester-responsive PKC-ζ generated by fusion with the regulatory domain of PKC-δ (FEBS 13717) *N.T. Goode, P.J. Parker* 145

Corrigenda 151

Announcement 154

Labeling of v-Src and BCR-ABL tyrosine kinases with [^{14}C]herbimycin A and its use in the elucidation of the kinase inactivation mechanism (FEBS 13699) *H. Fukazawa, Y. Uehara, Y. Murakami, S. Mizuno, M. Hamada, T. Takeuchi* 155

Nitric oxide blocks the cell cycle of mouse macrophage-like cells in the early G_2+M phase (FEBS 13700) *K. Takagi, Y. Isobe, K. Yasukawa, E. Okouchi, Y. Suketa* 159

Increase of c-*jun* mRNA upon hypo-osmotic cell swelling of rat hepatoma cells (FEBS 13718) *G. Finkenzeller, W. Newsome, F. Lang, D. Häussinger* 163

Presence and significance of minor antenna components in the energy transfer sequence of the green photosynthetic bacterium *Chloroflexus aurantiacus* (FEBS 13720) *M. Mimuro, T. Nozawa, N. Tamai, Y. Nishimura, I. Yamazaki* 167

Linkage between phosphorylated cystatin α and filaggrin by epidermal transglutaminase as a model of cornified envelope and inhibition of cathepsin L activity by cornified envelope and the conjugated cystatin α (FEBS 13719) *M. Takahashi, T. Tezuka, H. Kakegawa, N. Katunuma* 173

Tumor necrosis factor is markedly synergistic with interleukin 1 and interferon-γ in stimulating the production of nerve growth factor in fibroblasts (FEBS 13727) *A. Hattori, S. Iwasaki, K. Murase, M. Tsujimoto, M. Sato, K. Hayashi, M. Kohno* 177

Inactivation of oncoprotein binding by a single Cys^{706}-to-Tyr substitution in the retinoblastoma protein (FEBS 13730) *M. Saijo, M.V. Kato, M.S. Sasaki, K. Ishizaki, Y. Taya* 181

Proteolytic modification of membrane-associated phospholipase C-β by μ-calpain enhances its activation by G-protein βγ subunits in human platelets (FEBS 13731) *Y. Banno, T. Asano, Y. Nozawa* 185

Differential influence of DNA supercoiling on in vivo strength of promoters varying in structure and organisation in *E. coli* (FEBS 13737) *G. Jyothirmai, R.K. Mishra* 189

Involvement of plasma membrane-located calmodulin in the response decay of cyclic nucleotide-gated cation channel of cultured carrot cells (FEBS 13721) *F. Kurosaki, H. Kaburaki, A. Nishi* 193

The role of the ninth and tenth type III domains of human fibronectin in cell adhesion (FEBS 13711) *H.J. Mardon, K.E. Grant* 197

Predicted topology of the N-terminal domain of the hydrophilic subunit of the mannose transporter of *Escherichia coli* (FEBS 13723) *Z. Marković-Housley, J. Balbach, B. Stolz, J.-C. Génovésio-Taverne* 202

On the two forms of bacteriorhodopsin (FEBS 13725) *A.Y. Komrakov, A.D. Kaulen* 207

Human complement component C8: Molecular basis of the β-chain polymorphism (FEBS 13728) *G. Dewald, S. Hemmer, M.M. Nöthen* 211

Src homology 2 domains of protein tyrosine phosphatase are associated in vitro with both the insulin receptor and insulin receptor substrate-1 via different phosphotyrosine motifs (FEBS 13729) *S. Ugi, H. Maegawa, J.M. Olefsky, Y. Shigeta, A. Kashiwagi* 216

Insulin inhibits glucocorticoid-induced stimulation of liver 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase gene transcription (FEBS 13734) *F.P. Lemaigre, P. Lause, G.G. Rousseau* 221

Specific receptors for adrenomedullin in cultured rat vascular smooth muscle cells (FEBS 13735) *S. Eguchi, Y. Hirata, H. Kano, K. Sato, Y. Watanabe, T.X. Watanabe, K. Nakajima, S. Sakakibara, F. Marumo* 226

Identification of in vivo phosphorylation sites of SET, a nuclear phosphoprotein encoded by the translocation breakpoint in acute undifferentiated leukemia (FEBS 13738) *Y. Adachi, G.N. Pavlakis, T.D. Copeland* 231

A phosphorothioate oligonucleotide blocks reverse transcription via an antisense mechanism (FEBS 13739) *C. Boiziau, S. Moreau, J.-J. Toulmé* 236

Abundant expression of thromboxane synthase in rat macrophages (FEBS 13744) *Y. Tone, A. Miyata, S. Hara, S. Yukawa, T. Tanabe* 241

Modification of isolated subunit c of the F_1F_o-ATPase from *Propionigenium modestum* by dicyclohexylcarbodiimide (FEBS 13745) *C. Kluge, P. Dimroth* 245

Human–*Xenopus* chimeras of $G_s\alpha$ reveal a new region important for its activation of adenylyl cyclase (FEBS 13747) *M. Antonelli, L. Birnbaumer, J.E. Allende, J. Olate* 249

The 3D structure of a cyclosporin analogue in water is nearly identical to the cyclophilin-bound cyclosporin conformation (FEBS 13601) *R.M. Wenger, J. France, G. Bovermann, L. Walliser, A. Widmer, H. Widmer* 255

Organization and chromosomal localization of the gene for the human bombesin receptor subtype expressed in pregnant uterus (FEBS 13741) *V. Gorbulev, A. Akhundova, K.-H. Grzeschik, F. Fahrenholz* 260

Photoaffinity cross-linking of F_1ATPase from spinach chloroplasts by 3′-arylazido-β-alanyl-8-azido ATP (FEBS 13722) *H.-J. Schäfer, G. Rathgeber, A. Schuhen, R.J. Berzborn* 265

Activation of mitogen activated protein (MAP) kinases by vanadate is independent of insulin receptor autophosphorylation (FEBS 13742) *F. D'Onofrio, M.Q.U. Le, J.-L. Chiasson, A.K. Srivastava* 269

Ca^{2+} influx evoked by inositol-3,4,5,6-tetrakisphosphate in *ras*-transformed NIH/3T3 fibroblasts (FEBS 13769) *M. Hashii, M. Hirata, S. Ozaki, Y. Nozawa, H. Higashida* 276

Formation of sulphmyoglobin during expression of horse heart myoglobin in *Escherichia coli* (FEBS 13770) *E. Lloyd, A.G. Mauk* 281

Endurance training alters alanine and glutamine release from muscle during contractions (FEBS 13771) *D.A. Hood, R.L. Terjung* 287

Errata 291

Announcement 294

Notes to Authors 295

Author index to volume 340 297

Contents to volume 340 301